

Russell Timber Technology Data Sheet

QTE 2 Range FD60 Internal Flat Entrance Door Sets - Third Party Dual Certified for Fire and Security

Secured By Design and Fire Resistance Certified

Overview

The Russell Timber Technology QTE 2 Fire Door Set range is third party certified to BS 476:Part 22 FD60S. These products have been successfully fire-tested in both directions and in addition are also third party certified to PAS 24 for Security and certified by Secured by Design.

Russell Timber has also participated in the MHCLG Timber Fire Door Testing Programme where our products were again successfully tested in both directions.

This QTE 2 FD60 product range offers unglazed door leaves with options for moulded facings to create a variety of door styles.



All products are available in painted or stained finishes, with all timber coming from managed forests with full Chain of Custody. All QTE 2 door sets are manufactured to bespoke sizes.

Our dual-certified QTE 2 door sets are available as inward or outward opening and with or without letter plates and spyholes.



All products and production are subject to continuous development. The company reserves the right to amend details and sizes without notice

John A Russell (Joinery) Ltd

8 Dilwara Avenue, Glasgow, G14 0QS

Telephone: 0141 958 0444 | Fax: 0141 958 0333 | Website: www.russelltimbertech.co.uk

Company Registration: SC045289 | VAT No: 260 8552 57 | Data Sheet Ref: PDS 017-02 / 26.02.15

RUSSELL
Timber Technology
Engineered to excel

Russell Timber Technology Data Sheet

QTE 2 Range FD60 Internal Flat Entrance Door Sets - Third Party Dual Certified for Fire and Security

Secured By Design and Fire Resistance Certified

Specifications - Internal Flat Entrance Doors

- **54mm Solid** Hardwood Veneer Faced Timber Core Door leaf
- Hung in a 58 x 91mm Solid Hardwood Frame. Incorporating:
 - a) a continuous intumescent smoke seal with draught strip
 - b) metal security keeps
- High Security 3 point locking system
- Kitemarked anti-bump Euro Profile Cylinder with 3 keys
- 1½ pairs of Heavy Duty Hi-load Lift Off Hinges
- Handle with integral escutcheon back plate
- Overhead door closer
- FD60 Hardwood Cill or Part M Compliant Drop Seal
- Fully Factory Finished using Standard or RAL/BS colours or Teak and Light Oak stains
- Veneers available on request

Additional Options

- In or Out open
- With and without letter plate

Product Codes

- QTE 2 FD60S Flat Entrance Door Sets




Russell Timber Technology Data Sheet

QTE 2 Range FD60 Internal Flat Entrance Door Sets - Third Party Dual Certified for Fire and Security


Secured By Design and Fire Resistance Certified

Styles - Flat Entrance Door Sets



Colours

Our product range can be supplied fully factory finished from a selection of stains and colours. Others available on request. The colours shown are for illustration only. Please check RAL/BS numbers. Other RAL/BS colours can be supplied, which dependant on quantity, may attract an additional charge.



John A Russell (Joinery) Ltd

8 Dilwara Avenue, Glasgow, G14 0QS

Telephone: 0141 958 0444 | Fax: 0141 958 0333 | Website: www.russelltimbertech.co.uk

Company Registration: SC045289 | VAT No: 260 8552 57 | Data Sheet Ref: PDS 017-02 / 26.02.15

RUSSELL
Timber Technology
Engineered to excel